ELSEVIER International Journal of Mass Spectrometry and Ion Processes 160 (1997) vii–viii

International Journal of Mass Spectrometry and Ion Processes

CONTENTS

Special Issue: In Honour of Fred McLafferty

Foreword ... ix

Modeling radiative association kinetics
R.C. Dunbar (Cleveland, OH, USA) ... 1

$Cr^+(H_2)_n$ clusters: asymmetric bonding from a symmetric ion
P.R. Kemper, P. Weis and M.T. Bowers (Santa Barbara, CA, USA) ... 17

Time-dependent mass spectra and breakdown graphs. 20. Bromoanthracene. Heat of formation of the anthracenyl ion
Y. Ling, J.M.L. Martin and C. Lifshitz (Jerusalem, Israel) ... 39

Unimolecular and collision-induced dissociation study of CS_2^{2+} with Ar at high collision energy
X.D. Zhou, A.K. Shukla, R.E. Tosh and J.H. Futrell (Newark, DE, USA) ... 49

The unimolecular chemistry of ionized 1- and 2-butanethiol
E. Soh (Chapel Hill, NC, USA), P.M. Mayer (Canberra, Australia) and T. Baer (Chapel Hill, NC, USA) ... 63

Ketene and ketene radical cation: the unusual effect of methyl and dimethyl substitution
A.P. Scott and L. Radom (Canberra, Australia) ... 73

Ion/surface reactions, surface-induced dissociation and surface modification resulting from hyperthermal collisions of $OCNCO^+$, $OCNCS^+$, $(CH_3)_2SiNCO^+$, and $(CH_3)_2SiNCS^+$ with a fluorinated self-assembled monolayer surface
S.A. Miller, H. Luo, X. Jiang, H.W. Rohrs and R.G. Cooks (West Lafayette, IN, USA) ... 83

The $[^+CH_2OH, H_2O]$ and $[^+CH_2OH, 2H_2O]$ solvated ions
G. Van der Rest, P. Mourgues, J. Fossey and H.E. Audier (Palaiseau, France) ... 107

The hydrogen-bridged radical cation $[H_2O\cdots H\cdots O{=}C{-}OH^+]$: A combined experimental and theoretical study of its stability and dissociation chemistry
J. Hrušák (Berlin, Germany), G.A. McGibbon (Ontario, Canada), H. Schwarz (Berlin, Germany) and J.K. Terlouw (Ontario, Canada) ... 117

Protonation of isomeric methoxyhexenes. Effects of double bond$\cdots H^+\cdots OCH_3$ interaction
S.A. Shaffer, M. Sadilek, F. Tureček (Seattle, WA, USA) and C.E.C.A. Hop (Madison, WI, USA) ... 137

Fragmentation of deuteronated aromatic derivatives: the role of ion–neutral complexes
A.G. Harrison and J.-Y. Wang (Toronto, Canada) ... 157

Proton induced methyl group shifts in gaseous xylenium ions. Distinguishing isomers by gas-phase titration
H.-H. Büker, H.-F. Grützmacher (Bielefeld, Germany), M.E. Crestoni and A. Ricci (Roma, Italy) ... 167

On the release of translational energy when stable intermediate ion–neutral complexes dissociate
S. Hammerum, M.M. Hansen (Copenhagen, Denmark) and H.E. Audier (Palaiseau, France) ... 183

Isomerization of the molecular ion of cyclohexyl cyanide to an ionized bicycloheptane imine species competing with direct ring-opening
C. Gremmen, T.A. Molenaar-Langeveld, S. Ingemann and N.M.M. Nibbering (Amsterdam, The Netherlands) ... 193

A tandem mass spectrometry study of $[C_6,H_5,O]^+$ ions
D.V. Zagorevskii, J.-M. Régimbal and J.L. Holmes (Ottawa, Canada) ... 211

Mixed-site vs. charge-site-remote fragmentation reactions of long-chain quaternary ammonium ions
K. Whalen, J.S. Grossert, J.M. Curtis and R.K. Boyd (Halifax, Canada) ... 223

A new electrospray-ionization time-of-flight mass spectrometer with electrostatic wire ion guide
P.V. Bondarenko and R.D. Macfarlane (College Station, TX, USA) ... 241

Radial velocity distributions of molecular ions produced by matrix-assisted laser desorption/ionization
W. Zhang and B.T. Chait (New York, NY, USA) ... 259

1,4-Dihydroxy fatty acids: artifacts by reduction of di- and polyunsaturated fatty acids with sodium borohydride
S. Thiemt and G. Spiteller (Bayreuth, Germany) ... 269

False sugar sequence ions in electrospray tandem mass spectrometry of underivatized sialyl-Lewis-type oligosaccharides
B. Ernst, D.R. Müller and W.J. Richter (Basel, Switzerland) ... 283

Evaluation of MALDI-FTMS for analysis of peptide mixtures generated by ladder sequencing
J.R. Scott, S. Schürch, S. Moore and C.L. Wilkins (Riverside, CA, USA) 291
A strategy for the identification of proteins localized to subcellular spaces: application to *E. coli* periplasmic proteins
A.J. Link, E. Carmack and J.R. Yates III (Seattle, WA, USA) 303
Previously uncharacterized ions observed in the high energy collision-induced dissociation mass spectra of peptides containing S-alkyl cysteine
S.M. Wolf and K. Biemann (Cambridge, MA, USA) 317
Proton locations in doubly charged peptides and association with specific fragmentation pathways
I.A. Kaltashov and C. Fenselau (Baltimore, MD, USA) 331
Towards monitoring of protein purification by matrix-assisted laser desorption ionization mass spectrometry
C. Jensen, S. Haebel (Odense, Denmark), S.O. Andersen (Copenhagen, Denmark) and P. Roepstorff (Odense, Denmark) .. 339
Protein sequence and structural studies employing matrix-assisted laser desorption ionization-high energy collision-induced dissociation
K.F. Medzihradszky, D.A. Maltby, Y. Qiu, Z. Yu, S.C. Hall, Y. Chen and A.L. Burlingame (San Francisco, CA, USA) ... 357
On-line electrospray mass analysis of photoallylation reactions of dicyanobenzenes by allylic silanes via photoinduced electron transfer
R. Arakawa (Toyonaka, Japan), J. Lu, K. Mizuno, H. Inoue, H. Doe (Osaka, Japan) and T. Matsuo (Toyonaka, Japan) .. 371
Low- and high-energy collision-induced dissociation of pyridinoline and deoxypyridinoline ions using Fourier transform ion cyclotron resonance electrospray and liquid secondary-ion magnetic sector mass spectrometry
T.L. Rafferty, R.T. Gallagher, P.J. Derrick, A.J.R. Heck (Coventry, UK), A. Duncan and S.P. Robins (Aberdeen, UK) ... 377
Instrumental effects in the analysis of polymers of wide polydispersity by MALDI mass spectrometry
C.N. McEwen, C. Jackson and B.S. Larsen (Wilmington, DE, USA) 387
Determination of pesticide epitopic density in protein immunoconjugates by electrospray mass spectrometry
D. Canosa (Barcelona, Spain), R. Daniel (Villetaneuse, France), D. Barceló, E. Gelpí (Barcelona, Spain), F. Le Goffic (Paris, France) and J. Abián (Barcelona, Spain) 395